

# Professional & Commercial Audio Products

MA-106 · MA-200 series · MPM4 · CS series · CU-900 series · CU-400 series · CU-500 series

**inter****M**

## Public Address Amplifier

# MA-106



- Output Power : 60W(RMS) @<1% THD
- High fidelity mic mixing amplifier
- 4 ohm direct output
- 70V, 100V transformer coupled output
- Tone (treble / bass) control
- Input signal display with LED
- External mute and TEL IN
- Dedicated microphone INPUT1 (Phone [Front] or XLR connector)
- Phone jack for INPUT2 (MIC/LINE selectable)
- Phone jack and RCA jack for INPUT3
- Power source : 100~120VAC or 220~240VAC ; 50/60Hz
- Power consumption : 24W
- Weight : 3.0kg/6.6lb
- Dimensions (WxHxD) : 300x44x230mm/11.8x1.7x9in

# MA-106

Public Address Amplifier

# MA-200series



- Output Power MA-206 : 60W(RMS) @<1% THD  
MA-212 : 120W(RMS) @<1% THD  
MA-224 : 240W(RMS) @<1% THD
- High fidelity mic mixing amplifier
- 4ohm, 70V and 100V transformer coupled output
- 5 Zone output and all zone selectable
- 5 Band graphic equalizer
- 3 microphone input or line input (XLR connector)
- 2 microphone input or line input (Phone jack)
- Switchable phantom power supply (MIC1~3)
- RCA jack for line input 6
- VCA (Voltage Controlled Amplifier)
- External mute and TEL IN
- Chime/Siren signal output
- Channel input level display with LED
- Output level display with LED
- Power Source : 100~120VAC or 220~240VAC ; 50/60Hz
- Power Consumption MA-206 : 38W, MA-212 : 50W, MA-224 : 75W
- Weight : 4.8kg/10.6lb
- Dimensions (WxHxD) : 420x88x320mm/16.5x3.5x12.6in

# MA-200series

CD/USB/MP3 Player, Tuner

# PAM-MPM4



- PAM series Module.
- CD/USB/DRP(Digital Record and Playback : SD Memory 1GB)/MP3
- CD+USB, DRP(SD Memory) portable FM TUNER
- CD Long-Life Function
- CD COPY function (CD → USB or DRP)
- USB Hosting Function (USB ↔ DRP)
- FM 30 Memories
- Power source : DC 18V/22V
- Weight : 950g/2.1lb
- Dimensions (WxHxD) : 184x55x180mm/7.2x2.2x7.1in

# PAM-MPM4

Ceiling Speaker

# CS series



## ● CS-3/6/12

- Contains a premium grade speaker unit
- Best reliability
- The beautiful and graceful cabinet design
- Easy installing and convenience
- Full range of 1 way speaker system (6 inch unit)
- Multi-tap switch offers an easy way to change taps on a transformer
- Rated power CS-3 : 3W, CS-6 : 6W, CS-12 : 12W
- Weight CS-3 : 700g/1.5lb  
CS-6 : 710g/1.6lb  
CS-12 : 740g/1.6lb
- Dimensions (  $\varnothing$  x D ) : 220x100mm/8.7x4in

## ● CS-20/30/80

- Contains a premium grade speaker unit
- Best reliability
- The beautiful and graceful cabinet design
- Easy installing and convenience
- 2 Way speaker system (6inch -2way coaxial type)
- Multi-tap switch offers an easy way to change taps on a transformer
- Rated power CS-20 : 20W, CS-30 : 30W, CS-80 : 80W
- Weight CS-20 : 2kg/4.4lb  
CS-30 : 2.7kg/6lb  
CS-80 : 3.7kg/8.2lb
- Dimensions (  $\varnothing$  x D ) : 230x180mm/9x7in

# CS series

## Column Speaker

# CU-400/500/900 series

### ◎ CU-410/420/430/440

#### • INDOOR



- User based design for fast installation
- Simple and clear design with their rounded corners and edges
- Top quality durable units are applied for excellent sound reproduction performance
- Direction adjustable with bracket

### ◎ CU-510/520/530/540


#### • OUTDOOR



- User based design for fast installation
- Simple and clear design with their rounded corners and edges
- Top quality durable units are applied for excellent sound reproduction performance
- Direction adjustable with bracket

### ◎ CU-910(V)/920(V)/930(V)/940(V)


#### • INDOOR



- Horn Unit(CU-900V Series) clear speech for the distance, Tweeter unit (CU-900 series) profound BGM quality
- Simple and clear design with their tweeter unit corners and edges
- Top quality durable units are applied for high sound pressure level and excellent sound reproduction performance
- Strong aluminum frame which guarantees the strength of the cabinet
- The highest grade of twitter speakers are used to achieve the best of the sound
- User based design for fast installation
- Speaker Terminal added for easy installing and convenience

### ◎ CU-920H(V)/940H(V)

#### • OUTDOOR



- Horn Unit(CU-920HV/940HV), Tweeter unit(CU-920H/940H)
- Simple and clear design with their rounded corners and edges
- Top quality durable units are applied for high sound pressure level and excellent sound reproduction performance
- Strong aluminum frame which guarantees the strength of the cabinet
- The highest grade of twitter speakers are used to achieve the best of the sound
- User based design for fast installation
- Weatherproof, dampproof materials ensure this speaker suitable for working in the harsh outdoor environments
- Speaker Terminal added for easy installing and convenience

※ Design and specification are subject to be changed without pre notice.